



Titus
Tekform

Sliding Door Systems from Titus Tekform

Tekform Titus

Consistent Damping

Sliding door systems from Titus Tekform are available with soft close damping for both top and bottom running tracks for smooth and gentle closing.



Top and bottom running sliding door systems




Sliding door systems from Titus Tekform offer solutions for both top and bottom running tracks, with or without soft close damping features, ideal for any wardrobe or bedroom application.

GlideSoft RD provides a floor to ceiling panel system for bottom running tracks. It is compatible with 10mm or 4mm panel, glass and acrylic with a 60kg load capacity per door. GlideSoft RD is available with the Titusoft SD100s for consumer-preferred 'ConfidentClose' damping.

GlideSoft TP provides a cabinet based panel system for top running tracks. It takes 16mm standard and 18mm routed panels with a 50kg load capacity per door. GlideSoft TP is available with and without soft close damping on side doors and offers a centre rest kit for centre doors.

GlideSoft RD

Designed for bottom running sliding door tracks, GlideSoft RD is available with or without Titus SD100s soft close damping, and has a weight capacity of 60kg per door.



Product	Finish	Length (mm)	Item Number
GlideSoft RD Top Track	Aluminium	3600	608.8V02.010.001
GlideSoft RD Bottom Track	Aluminium	3600	608.8V02.010.002
GlideSoft RD Handle Profile	Aluminium	2400	608.8V02.010.003
GlideSoft RD U Handle Profile	Aluminium	2400	608.8V02.010.004
GlideSoft RD 20mm Coverstrip	Aluminium	2400	608.8V02.010.005
GlideSoft RD 1 Door Fitting Kit			608.8V02.010.006
Titusoft SD100s			973.9060.380
SD100s Actuator			973.4451.010
GlideSoft RD Standard Close Stop Kit 2 Door			608.8V02.010.010
GlideSoft RD Centre Rest Kit			608.8V02.010.011
GlideSoft RD Brush Strip		9.5	608.8V02.010.012
GlideSoft RD Brush Strip		6	608.8V02.010.013
GlideSoft RD Gasket for 4mm Glass			608.8V02.010.014

GlideSoft RD

Extrusions

- Floor to ceiling panel system
- Takes 10mm or 4mm panel, glass or acrylic
- Centre door soft close option
- Maximum width 3.6m
- Minimum width 600mm
- Installation depth 76mm
- Maximum installation height 2480mm

GlideSoft RD Handle Profile

608.8V02.010.003





GlideSoft RD Handle U Profile

608.8V02.010.004




GlideSoft RD Top Track

608.8V02.010.001



GlideSoft RD Bottom Track

608.8V02.010.002



GlideSoft RD


Fitting Kits

GlideSoft RD 1 Door Fitting Kit

608.8V02.010.006

Kit includes:

- 2x top mechanisms
- 2x bottom mechanisms
- Fixing screws



GlideSoft RD

Closing Options

- Compact design for bottom running tracks
- Effortless door opening
- Flexible mounting position
- 'ConfidentClose' with Titus damper

Titusoft SD100s Side Door Damping Kit

973.9060.380

Kit includes:

- 2x universal soft close dampers
- Fixing screws



Actuator for SD100s

973.4451.010

Kit includes:

- 2x actuators
- Fixing screws



GlideSoft RD

Products

GlideSoft RD Brush Strip 9.5mm

608.8V02.010.012

Brush strip for application on the back of the front door.



GlideSoft RD Brush Strip 6mm

608.8V02.010.013

Brush strip for application on both sides of each door.



GlideSoft RD Gasket for 4mm Glass

608.8V02.010.014

Applied to the back of the door as a wedge when using 4mm panels.



GlideSoft RD 20mm Coverstrip


608.8V02.010.005

Thin aluminium strip used to cover the joint when using multiple panels for doors.



Titusoft SD100s


GlideSoft RD is compatible with the Titusoft SD100s damper for consumer-preferred 'ConfidentClose'.



- Consistent damping with 100mm stroke
- No bounce back
- Proprietary 'TwoStep' spring for effortless door opening
- Non-handed design
- Titus leading multi-purpose damping technology

GlideSoft TP

Designed for top running sliding door tracks, GlideSoft TP is available with or without soft close damping, and has a weight capacity of 50kg per door.



Product	Finish	Length (mm)	Item Number
GlideSoft TP Top Track	Aluminium	3600	608.8V02.020.001
GlideSoft TP Bottom Track	ABS	3600	608.8V02.020.002
GlideSoft TP Handle Profile	Aluminium	2400	608.8V02.020.003
GlideSoft TP U Handle Profile	Aluminium	2400	608.8V02.020.004
GlideSoft TP 2 Door Fitting Kit	Aluminium	2400	608.8V02.020.005
GlideSoft TP 3 Door Fitting Kit			608.8V02.020.006
GlideSoft TP Left & Right Damping Kit			608.8V02.020.007
GlideSoft TP Standard Close Stop Kit 2 Door			608.8V02.020.008
GlideSoft TP Centre Rest Kit			608.8V02.020.009

GlideSoft TP

Extrusions

- Cabinet based panel system
- For 16mm standard and 18mm routed panels
- Maximum width 3.6m
- Minimum width 600mm
- Installation depth 145mm
- Centre rest kit for centre doors

GlideSoft TP Handle Profile

608.8V02.020.003




GlideSoft TP Handle U Profile

608.8V02.020.004





GlideSoft TP Top Track

608.8V02.020.001



GlideSoft TP Bottom Track

608.8V02.020.002



GlideSoft TP


Fitting Kits

GlideSoft TP 2 Door Fitting Kit

608.8V02.020.005

Kit includes:

- 1x Type 1 top mechanism set
- 1x Type 2 top mechanism set
- 2x Type 1 bottom rail runner
- 2x Type 2 bottom rail runner
- Fixing screws




GlideSoft TP 3 Door Fitting Kit

608.8V02.020.006

Kit includes:

- 1x Type 1 top mechanism set
- 2x Type 2 top mechanism set
- 2x Type 1 bottom rail runner
- 2x Type 2 bottom rail runner
- Fixing screws



GlideSoft TP


Closing Options

GlideSoft TP Left & Right Damping Kit

608.8V02.020.007

Kit includes:

- 1x left-hand damper
- 1x right-hand damper
- 1x large actuator
- 1x small actuator
- 2x support blocks
- Fixing screws




GlideSoft TP Standard Close Stop Kit

608.8V02.020.008

Kit includes:

- Mechanism
- Fixing screws



GlideSoft TP Centre Rest Kit

608.8V02.020.009

Kit includes:

- Centre rest mechanism
- Fixing screws



Total Solutions

GlideSoft TP offers a comprehensive sliding door kit for two or three door systems with left and right damping options.




Complete the Look

Add stylish storage to your wardrobe with our lux-look Tekform Slimline Double Wall Drawers or brighten your interior with our made to measure Stefano Orlati LED lighting.



Made to Measure Lighting

Plug and play LED strip lighting made to your specifications featuring a range of options including non-dotted and RGBW.



Tekform Slimline Drawer

Featuring sleek narrow sides, efficient and intuitive installation, and 'ConfidentClose' integrated damping.



Titus Tekform Australia

www.titustekform.com.au

info@titustekform.com.au

Stefano Orlati New Zealand

www.stefano-orlati.com

stefano-orlati@titusplus.com

Connect with us



[LinkedIn.com/company/titustekform](https://www.linkedin.com/company/titustekform)



[Instagram.com/titustekform](https://www.instagram.com/titustekform)



[Pinterest.com/titustekform](https://www.pinterest.com/titustekform)



["Titus Tekform"](https://www.youtube.com/channel/UC...)